

Electronic Version v18 Stylesheet Version v18.0

Title of Invention

METHOD AND APPARATUS FOR ACHIEVING
TEMPERATURE UNIFORMITY AND HOT SPOT COOLING
IN A HEAT PRODUCING DEVICE

Application Number:

10/698304

Confirmation Number:

1389

First Named Applicant:

Kenneth Goodson

Attorney Docket Number:

Search string:

(4467861 or 4903761 or 5016090 or 5269372 or 5275237 or 5310440 or 5346000 or 5388635 or 5945217 or 6019165 or 6034872 or 6039114 or 6253832 or 6257320 or 6330907 or 6336497 or 6366462 or 6367544 or 6431260 or 6466442 or 6519151 or 6533029 or 6536516 or 6601643 or 6609560 or 6651735 or 20030213580).pn.

US Patent Documents

Note: Applicant is not required to submit a paper copy of cited US Patent Documents '

init	Cite.No.	Patent No.	Date	Patentee	Kind	Class	Subclass
3	1	4467861	1984-08-28	Kiseev et al.			_
	2	4903761	1990-02-27	Cima			
77	3	5016090	1991-05-14	Galyon et al.	,		
	4	5269372	1993-12-14	Chu et al.			
M	5	5275237	1994-01-04	Rolfson et al.			
111	6	5310440	1994-05-10	Zingher			
N	7	5346000	1994-09-13	' Schlitt		<i>.</i>	
M	8	5388635	1995-02-14	Gruber et al.			
W	9	5945217	1999-08-31	Hanrahan			
M	10	6019165	2000-02-01	Batchelder			
M	11	6034872	2000-03-07	Chrysler et al.			
PM	12	6039114	2000-03-21	Becker et al.			
	13	6253832	2001-07-03	Hallefalt	B1		- /
1	14	6257320	2001-07-10	Wargo	B1		
I	11						



N	**	••				_
10	15	6330907	2001-12-18	Ogushi et al.	B1	
14	16	6336497	2002-01-08	Lin	B1	2
m	17	6366462	2002-04-02	Chu et al.	B1	_
m	18	6367544	2002-04-09	Calaman	B1	
m	19	6431260	2002-08-13	Agonafer et al.	B1	_
77	20	6466442	2002-10-15	Lin	B2	
77	21	6519151	2003-02-11	Chu et al.	B2	
TW	22	6533029	2003-03-18	Phillips	B1	
W	23	6536516	2003-03-25	Davies et al.	B2	
M.	24	6601643	2003-08-05	Cho et al.	B2	
T	25	6609560	2003-08-26	Cho et al.	B2	
120	26	6651735	2003-11-25	Cho et al.	B2	

US Published Applications

Note: Applicant is not required to submit a paper copy of cited US Published Applications

init	لــــــــــــــــــــــــــــــــــــــ	Pub. No.	Date	Applicant	Kind	Class	Subclass
10	1	20030213580	2003-11-20	Philpott et al.	A1		

Signature

xaminer Name	Date
Med Myennen	6-87-65

FORM PTO-1449 (Modified)

EXAMINER:

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: COOL-01800

Serial No.: 10/698,304

Patent and Trademark
DISCLOSURBET ATEMENT BY APPLICANT
(Use Several States of Necessary)

INFORMATEN DISCUSSE SEVERAL Applicants: Kenneth Goodson et al. Group Art Unit: 1312 (37 CFR § 1.98(b)) Filing Date: October 30, 2003 FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS Translation Document **Publication Date** Country / Patent Office Class Subclass Number Yes No 97212126.9 03/04/97 CN BOID 61/42 Х AA Х 2000-277540 10/06/00 21/50 AB OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Stephen C. Jacobson et al., "Fused Quartz Substrates for Microchip Electrophoresis", Analytical Chemistry, Vo. 67, No. 13, July 1, 1995, pages 2059-2063. AC AD Kendra V. Sharp et al., "Liquid Flows in Microchannels", 2002, Vol. 6, pages 6-1 to 6-38. ΑE Shuchi Shoji et al., "Microflow devices and systems", J. Microcech. Microeng. 4 (1994), pages 157-171, printed in the U.K. Angela Rasmussen et al., "Fabrication Techniques to Realize CMOS-Compatible Microfluidic Microchannels", Journal of Microelectromechanical, Vo. 10, No. 2, June 2001, pages 286-297. AF J. H. Wang et al., "Thermal-Hydraulic Characteristic of Micro Heat Exchangers", 1991, DSC-Vol. 32, Micromechanical Sensors, Actuators, and AG Systems, pages 331-339. Gad Hetsroni et al., "Nonuniform Temperature Distribution in Electronic Devices Cooled by Flow in Parallel Microchannels", IEEE Transactions on Components and Packaging Technologies, March 2001, Vol. 24, No. 1, pages 16-23. AH X. F. Peng et al., "Heat Transfer Characteristics of Water Flowing through Microchannels", Experimental Heat Transfer An International Journal, Vol. 7, No. 4, October-December 1994, pages 265-283. Αl Linan Jiang et al., "Forced Convection Boiling in a Microchannel Heat Sink", Journal of Microelectromechanical Systems, Vol. 10, No. 1, March 2001, pages 80-87. AJ Muhammad M. Rahman et al., "Experimental Measurements of Fluid Flow and Heat Transfer in Microchannel Cooling Passages in a Chip Substrate", 1993, EEP-Vol. 4-2, Advances in Electronic Packages, pages 685-692. AK X. F. Peng et al., "Forced convection and flow boiling heat transfer for liquid flowing through Microchannels", 1993, Int. J. Heat Mass Transfer, Vol. 36, No. 14, pages 3421-3427. AL Lung-Jieh Yang et al., "A Micro Fluidic System of Micro Channels with On-Site Sensors by Silicon Bulk Micromaching", September 1999, Microfluidic Devices and Systems II, Vol. 3877, pages 267-272. AM G. Mohiuddin Mala et al., "Heat transfer and fluid flow in microchannels", 1997, Int. J. Mass transfer, Vol. 40, No. 13, pages 3079-3088, printed in Great Britain. AN J. M. Cuta et al., "Fabrication and Testing of Micro-Channel Heat Exchangers", SPIE Microlithography and Metrology in Micromaching, Vol. 2640, 1995, pages 152-160. AΩ Linan Jiang et al., "A Micro-Channel Heat Sink with Integrated Temperature Sensors for Phase Transition Study", 1999, 12th IEEE International Conference on Micro Electro Mechanical Systems, pages 159-164. AP Linan Jiang et al., "Fabrication and characterization of a microsystem for a micro-scale heat transfer study", J. Micromech. Microeng. 9 (1999) pages 422-428, printed in the U.K. AQ M. B. Bowers et al., "High flux boiling in low flow rate, low pressure drop mini-channel and micro-channel heat sinks", 1994, Int. J. Heat Mass Transfer, Vol. 37, No. 2, pages 321-332. AR AS Yongendra Joshi, "Heat out of small packages", December 2001, Mechanical Engineer, pages 56-58. A. Rostami et al., "Liquid Flow and Heat Transfer in Microchannels: a Review", 2000, Heat and Technology, Vol. 18, No. 2, pages 59-68. ΑT Lian Zhang et al., "Measurements and Modeling of Two-Phase Flow in Microchannels with Nearly Constant Heat Flux Boundary Conditions", Journal of Microelectromechanical Systems, Vol.11, No. 1, February 2002, pages 12-19. AU Muhammad Mustafizur Rahman, "Measurements of Heat Transfer in Microchannel Heat Sinks", Int. Comm. Heat Mass Transfer, Vol. 27, No. 4, May 2000, pages 495-506. A۷ Issam Mudawar et al., "Enhancement of Critical Heat Flux from High Power Microelectronic Heat Sources in a Flow Channel", Journal of Electronic Packaging, September 1990, Vol. 112, pages 241-248. ΑW Nelson Kuan, "Experimental Evaluation of Micro Heat Exchangers Fabricated in Silicon", 1996, HTD-Vol. 331, National Heat Transfer Conference, Vol. 9, pages 131-136. AX E. W. Kreutz et al., "Simulation of micro-channel heat sinks for optoelectronic microsystems", Microelectronics Journal 31(2000) pages 787-790. AY ΑZ J. C. Y. Koh et al., "Heat Transfer of Microstructure for Integrated Circuits", 1986, Int. Comm. Heat Mass Transfer, Vol. 13, pages 89-98. ВА Snezana Konecni et al., "Convection Cooling of Microelectronic Chips", 1992, InterSociety Conference on Thermal Phenomena, pages 138-144. Date Considered: Examiner:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Weflin 6-27-15

FORM PTO-14 (Modified)	449	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket No.: COOL-01800	Serial No.: 10/698,304		
INFORMATION DISCLO		ON DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)	Applicants: Kenneth Goodson et al.			
(37 CFR § 1.9	8(b))	(Ox actual allets is recessary)	Filing Date: October 30, 2003	Group Art Unit: 1312		
OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)						
Michael B. Kleiner et al., "High Performance Forced Air Cooling Scheme Employing Microchannel Heat Exchangers", 1995, IEEE Transactions on Components, Packaging, and Manufacturing Technology-Part A, Vol. 18, No. 4, pages 795-804.						
M	вс	Jerry K. Keska Ph. D. et al., "An Experimental Study on an Enh. 26-2, Advances in Electronic Packaging, 1999, Vol. 2, pages 12	anced Microchannel Heat Sink for Microele 35-1259.	ctronics Applications", EEP-Vol.		
M	BD	Shung-Wen Kang et al., "The Performance Test and Analysis of Photonics, Vol. 3795, pages 259-270.	Silicon-Based Microchannel Heat Sink", Ju	ıly 1999, Terahertz and Gigahertz		
	BE	Joseph C. Tramontana, "Semiconductor Laser Body Heat Sink", 379-381.	Xerox Disclosure Journal, Vol. 10, No. 6, 1	November/December 1985, pages		
	BF	Sarah Arulanandam et al., "Liquid transport in rectangular mice Physicochemical and Engineering Aspects 161 (2000), pages 8	ochannels by electroosmotic pumping", Col 9-102.	lloid and Surfaces A:		
	BG	Jeffery D. Barner et al., "Thermal Ink Jet Print Head Carriage will, January/February 1996, pages 33-34.	ith Integral Liquid Cooling Capabilities", X	erox Disclosure Journal-Vol. 21, No.		
	ВН	"Autonomous displacement of a solution in a microchannel by a	nother solution", Research Disclosure, June	2001, pages 1046-1047.		
	ВІ	John M. Waldvogel, "Aluminum Silicon Carbide Phase Change	Heat Spreader', Motorola, June 1999, Tech	nical Developments, pages 226-230.		
	BJ	James P. Slupe et al., "An idea for maintaining a stable thermal 1312.	environment for electronic devices", Resear	ch Disclosure, August 2001, page		
	вк	John M. Waldvogel, "A Heat Transfer Enhancement Method for Technical Developments, pages 158-159.	r Forced Convection Bonded-Fin Heatsinks'	', Motorola, December 1997,		
	BL	"Thin Heat Pipe for Cooling Components on Printed Circuit Bo pages 321-322.	ards", IBM Technical Disclosure Bulletin, \	/ol. 34, No. 7B, December 1991,		
	ВМ	R. C. Chu et al., "Process for Nucleate Boiling Enhancement", I	BM Technical Disclosure Bulletin, Vol. 18,	No. 7, December 1975, page 2227.		
	BN	J. Riseman, "Structure for Cooling by Nucleate Boiling", IBM 7	Technical Disclosure Bulletin, Vol. 18, No. 1	11, April 1976, page 3700.		
	во	"Integrally Grooved Semiconductor Chip and Heat Sink", Octob	per 1971, IBM Technical Disclosure Bulletin	n, Vol. 14, No. 5, page 1425.		
	ВР	"Enhanced Cooling of Thermal Conduction Module", IBM Tecl	hnical Disclosure Bulletin, Vol. 30, No. 5, C	October 1987, page 426.		
	BQ	"Heat Exchanger Modules for Data Process with Valves Operate Vol. 30, No. 5, October 1987, page 419.	ed by Pressure form Cooling Water Pump",	IBM Technical Disclosure Bulletin,		
	BR	"Cold Plate for Thermal Conduction Module with Inlet for Cool 30, No. 5, October 1987, page 413.	ling Water Near Highest Power Chips", IBM	Technical Disclosure Bulletin, Vol.		
	BS	"Circuit Module Cooling with Coaxial Bellow Providing Inlet, C Bulletin, Vol. 30, No. 5, October 1987, pages 345-347.	Outlet and Redundant Connections to Water	-Cooled Element", IBM Technical		
	ВТ	"Piping System with Valves Controlled by Processor for Heatin Under Temperature Stress", IBM Technical Disclosure Bulletin	g Circuit Modules in a Selected Temperature, Vol. 30, No. 5, October 1987, page 336.	e Profile for Sealing Integrity Test		
	BU	"Cooling System for Chip Carrier on Card", IBM Technical Dis				
	BV	"Chip Cooling Device", IBM Technical Disclosure Bulletin, Vo	ol. 30, No. 9, February 1988, pages 435-436.			
	вw	W. E. Ahearn et al., "Silicon Heat Sink Method to Control Integ Bulletin, Vol. 21, No. 8, January 1979, pages 3378-3380.	grated Circuit Chip Operating Temperatures	", IBM Technical Disclosure		
	вх	N. P. Bailey et al., "Cooling Device for Controlled Rectifier", IE 4610.				
	BY	W. J. Kleinfelder et al., "Liquid-Filled Bellows Heat Sink", IBM	1 Technical Disclosure Bulletin, Vol. 21, No.	o. 10, March 1979, pages 4125-4126.		
	BZ	R. P. Chrisfield et al., "Distributed Power/Thermal Control", IB 1132.	M Technical Disclosure Bulletin, Vol. 22, N	No. 3, August 1979, pages 1131-		
W	CA	A. J. Arnold et al., "Heat Sink Design for Cooling Modules in a November 1979, pages 2297-2298.	Forced Air Environment", IBM Technical I	Disclosure Bulletin, Vol. 22, No. 6,		
M	СВ	A. J. Amold, "Structure for the Removal of Heat from an Integr. November 1979, pages 2294-2296.				
M	СС	U. P. Hwang et al., "Cold Plate for Thermal Conduction Module Bulletin, Vol. 25, No. 9, February 1983, page 4517.	e with Improved Flow Pattern and Flexible E	Base", IBM Technical Disclosure		
M	CD	K. C. Gallagher et al., "Cooling System for Data Processor with Technical Disclosure Bulletin, Vol. 26, No. 5, October 1983, pa	Flow Restricter in Secondary Loop to Limit ge 2658.	t Bypass-Cooling Water Flow', IBM		
Examiner:			Date Considered:			
EXAMINER:	lnį	tial citation considered. Draw line through citation if not in confo	ormance and not considered. Include copy o	f this form		

May Il Wheenin

6-27-05

FORM PTO-1 (Modified)	449	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket No.: COOL-01800	Serial No.: 10/698,304
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)			Applicants: Kenneth Goodson et al.	
(37 CFR § 1.9	8(ь))	(Ose Several Sheets II Necessary)	Filing Date: October 30, 2003	Group Art Unit: 1312
1		OTHER DOCUMENTS (Including Author, Title, D	ate, Relevant Pages, Place of Publication)	
M	CE	R. C. Chu et al., "Silicon Heat Sink for Semiconductor Chip", [I	BM Technical Disclosure Bulletin, Vol. 24,	No. 11A, April 1982, page 5743.
M	CF	J. M. Eldridge et al., "Heat-Pipe Vapor Cooling Etched Silicon Spages 4118-4119.	Structure", IBM Technical Disclosure Bullet	in, Vol. 25, No. 8, January 1983,
M	CG	J. R. Skobern, "Thermoelectrically Cooled Module", IBM Techn	nical Disclose Bulletin, Vol. 27, No. 1A, Jun	e 1984, page 30.
	СН	M. J. Brady et al., "Etched Silicon Integrated Circuit Heat Sink"	, IBM Technical Disclosure Bulletin, Vol. 2	7, No. 1B, June 1984, page 627.
	CI	H. D. Edmonds et al., "Heat Exchange Element for Semiconduc 1980, page 1057.	tor Device Cooling", IBM Technical Disclo	sure Bulletin, Vol. 23, No. 3, August
	C1	R. W. Noth, "Heat Transfer from Silicon Chips and Wafers", IB	M Technical Disclosure Bulletin, Vol.17, N	o. 12, May 1975, page 3544.
	СК	"Forced Boiling Cooling System with Jet Enhancement for Criti October 1996, page 143.	tical Heat Flux Extension", IBM Technical	Disclosure Bulletin, Vol.39, No. 10,
	CL	"Miniature Heat Exchanger for Corrosive Media", IBM Technic	al Disclosure Bulletin, Vol. 38, No. 01, Janu	uary 1995, pages 55-56.
	СМ	"Self-Contained Active Heat Dissipation Device", IBM Technic	al Disclosure Bulletin Vol. 39, No. 04, Apri	1 1996, pages 115-116.
	CN	C. J. Keller et al., "Jet Cooling Cup for Cooling Semiconductor pages 3575-3576.	Devices", IBM Technical Disclosure Bulleti	n, Vol. 20, No. 9, February 1978,
	со	B. J. Ronkese, "Centerless Ceramic Package with Directly Conn 1978, page 3577-3578.	ected Heat Sink", IBM Technical Disclosur	e Bulletin, Vol. 20, No. 9, February
	СР	K. S. Sachar, "Liquid Jet Cooling of Integrated Circuit Chips",	Vol. 20, No. 9, February 1978, pages 3727-3	1728.
	cQ	A. H. Johnson, "Device Cooling", IBM Technical Disclosure Bu	ulletin, Vol. 20, No. 10, March 1978, pages	3919-3920.
	CR	A. L. Pacuzzo et al., "Integrated Circuit Module Package Coolin pages 3898-3899.	g Structure", IBM Technical Disclosure Bu	lletin, Vol. 20, No. 10, March 1978,
	CS	R. D. Durand et al., "Flexible Thermal Conductor for Electronic page 4343.	Module", IBM Technical Disclosure Bullet	in, Vol. 20, No. 11A, April 1978,
	СТ	D. Balderes et al., " Liquid Cooling of a Multichip Module Pack 4336-4337.	age", IBM Technical Disclosure Bulletin, V	ol. 20, No. 11A, April 1978, pages
	CU	J. A. Dorler et al., "Temperature Triggerable Fluid Coupling Sys 20, No. 11A, April 1978, pages 4386-4388.	stem for cooling Semiconductor Dies", IBM	Technical Disclosure Bulletin, Vol.
	cv	V. W. Antonetti et al., "Integrated Module Heat Exchanger", IB	M Technical Disclosure Bulletin, Vol. 20, N	lo. 11A, April 1978, page 4498.
	cw	P. Hwang et al., "Conduction Cooling Module", IBM Technical	Disclosure Bulletin, Vol. 20, No. 11A, Apr	il 1978, pages 4334-4335.
	сх	A. J. Arnold, "Electronic Packaging Structure", IBM Technical	Disclosure Bulletin, Vol. 20, No. 11B, Apri	1978, pages 4820-4822.
	CY	V. Y. Doo et al., "High Performance Package for Memory", IBN	A Technical Disclosure Bulletin, Vol. 21, No.	o. 2, July 1978, pages 585-586.
	CZ	"Multi-Chip Package with Cooling by a Spreader Plate in Conta Providing Water Flow Within its Pins", IBM Technical Disclosu	act with a Chip having Cylindrical Holes Ma are Bulletin, Vol. 31, No. 5, October 1988, p	ting with an Inverse Frame pages 141-142.
	DA	J. Landrock et al., "Cooling System for Semiconductor Chips",	IBM Technical Disclosure Bulletin, Vol. 23	No. 4, September 1980, page 1483.
	DB	E. P. Damm, Jr., "Convection Cooling Apparatus", IBM Techni	cal Disclosure Bulletin, Vol. 20, No. 7, Dec	ember 1977, pages 2755-2756.
	DC	"Circuit Package with Circulating Boiling Liquid and Local Het Bulletin, Vol. 31, No. 12 May 1989, page 34.	at Exchanger to Limit Vapor in Coolant Out	let", IBM Technical Disclosure
W	DD	"Circuit Module Cooling with Multiple Pistons Contacting a He Disclosure Bulletin, Vol. 31, No. 12, May 1989, page 5-7.	at Spreader/Electrical Buffer Plate in Conta	ct with Chip", IBM Technical
M	DE	"TCM-LIKE Circuit Module with Local Heat Sink Resting on C Attached to Local Heat Sink and Extending Above Bellows into pages 305-306.	Chip and Chip Separated From Coolant by B Region of Coolant Flow", IBM Technical I	ellows with Pins and Deflector Plate Disclosure Bulletin, Vol. 31, No. 11,
M	DF	"Water-Cooled Circuit Module with Grooves Forming Water Pa 31, No. 12, May 1989, pages 49-50.	ssages Near Heat-Producing Devices", IBM	Technical Disclosure Bulletin, Vol.
M	DG	"Cold Plate for Thermal conduction Module with Only Peripher Thermal Resistances", IBM Technical Disclosure Bulletin, Vol.	al Mounting bolts, Large Surface Area Fin I 31, No. 12, May 1989, page 59.	nserts and Reduced Water Flow and
Examiner:			Date Considered:	
EXAMINER:	_ Ini	tial citation considered. Draw line through citation if not in confo	rmance and not considered. Include copy o	f this form

With next communication to applicant.

We with next communication to applicant.

6-37-05

FORM PTO-1449 U.S. Department of Commerce (Modified) Patent and Trademark Office		Attorney Docket No.: COOL-01800	Serial No.: 10/698,304	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)		ON DISCLOSURE STATEMENT BY APPLICANT	Applicants: Kenneth Goodson et al.	
(37 CFR § 1.9)8(b))	(Ose Several Sinces in recessary)	Filing Date: October 30, 2003	Group Art Unit: 1312
	· · · · · · · · · · · · · · · · · · ·	OTHER DOCUMENTS (Including Author, Title, D	ate, Relevant Pages, Place of Publication)	
M	DH	"Thermal Control Hardware for Accelerated Run-In Testing of N October 1989, page 129-130.	Multi-Chip Modules", IBM Technical Disclo	osure Bulletin, Vol. 32, No. 5A,
M	DI	"Means of Removing More Heat From a TCM (Or Other Liquid Technical Disclosure Bulletin, Vol. 32 No. 5A, Oct 1989, pages	-Cooled Logic Package) By Reducing the C 153-154.	oolant Temperature", IBM
M	נם	E. G. Loeffel et al., "Liquid Cooled Module with Compliant Me 673-674.	mbrane", IBM Technical Disclosure Bulleti	n, Vol. 20, No. 2, July 1977, pages
	DK	V. Y. Doo et al., "Method of Effective Cooling of a High Power 1977, page 1436-1437.	Silicon Chip", IBM Technical Disclosure E	sulletin, Vol. 20, No. 4, September
	DL	V. Y. Doo et al., "Semiconductor Chip Cooling Package, IBM 1 1441.	Fechnical Disclosure Bulletin, Vol. 20, No. 4	, September 1977, pages 1440-
	DM	"Heat Sink Fabrication Method", IBM Technical Disclosre Bull	etin, Vol. 27, No. 10A, March 1985, page 5	656-5657.
	DN	"Thermal Conduction Module with Liquid Dielectric and Piston Disclosure Bulletin, Vol. 27, No. 12, May 1985, page 6904.	s with Surface Treatment for Enhanced Nuc	leate Boiling", IBM Technical
	DO	"Pin Fin Array Heat Pipe Apparatus", IBM Technical Disclosur	e Bulletin, Vol. 37, No. 09, September 1994	, page 171.
	DP	Youngcheol Joo et al., "Fabrication of Monolithic Microchanne 362-367.	ls for IC Chip Cooling", 1995, IEEE Micro	Electro Mechanical Systems, pages
	DQ	Jaisree Moorthy et al., Active control of electroosmotic flow in a 223-229.	microchannels using light, January 26, 2001	, Sensors and Actuators B 75, pages
	DR	Andreas Manz et al., Electroosmotic pumping and electrophoret J.Micromech. Microeng. 4 (1994), pages 257-265, printed in the	ic separations for miniaturized chemical and U.K.	elysis systems, September 16, 1994,
	DS	E. B. Cummings et al., <u>Irrotationality of uniform electroosmosis</u> Systems II, SPIE Vol. 3877, pages 180-189	September 1999, Part of the SPIE Conferen	nce on Microfluidic Devices and
	DT	Stephen C. Jacobson et al., Fused Quartz Substrates for Microch 2059-2063.	nip Electrophoresis, July 1, 1995, Analytical	Chemistry, Vol. 67, No. 13, pages
	DU	Haim H. Bau, Optimization of conduits' shape in micro heat ex 41 (1998), pages 2717-2723.	changers, December 10, 1997, International	Journal of Heat and Mass Transfer
	DV	V. K. Dwivedi et al., <u>Fabrication of very smooth walls and botto</u> January 25, 2000, Microelectronics Journal 31 (2000), pages 40	oms of silicon microchannels for heat dissipa 15-410.	ation of semiconductor devices,
	DW	M. B. Bowers et al., Two-Phase Electronic Cooling Using Mini Constraints, December 1994, Journal of Electronic Packaging I	i-Channel and Micro-Channel Heat Sinks: P 16, pages 298-305.	art 2-Flow Rate and Pressure Drop
	DX	Meint J. de Boer et al., Micromachining of Buried Micro Chann No. 1, pages 94-103.	nels in Silicon, March 2000, Journal of Micr	oelectromechanical systems, Vol. 9,
	DY	S.B. Choi et al., FLUID FLOW AND HEAT TRANSFER IN M Systems, ASME 1991, pages 123-134.	ICROTUBES, 1991, DSC-vol. 32, Microme	chanical sensors, Actuators, and
	DZ	S. F. Choquette, M. Faghri et al., <u>OPTIMUM DESIGN OF MIC</u> Systems (MEMS), ASME 1996, pages 115-126.	ROCHANNEL HEAT SINKS, 1996, DSC-	Vol. 59, Microelectromechanical
	EA	David Copeland et al., MANIFOLD MICROCHANNEL HEAT Electronic Packaging ASME 1995, pages 829-835.	SINKS: THEORY AND EXPERIMENT, I	995, EEP-Vol. 10-2, Advances in
	ĘВ	J. M. Cuta et al., FORCED CONVECTION HEAT TRANSFER EXCHANGER, 1996, PID-Vol. 27 HTD-Vol. 338, Advances in	IN PARALLEL CHANNEL ARRAY MIC Energy efficiency, HeavMass Transfer Enh	ROCHANNEL HEAT ancement, ASME 1996, pages 17-23
	EC	K. Fushinobu et al., HEAT GENERATION AND TRANSPORT Heat Transfer on the Microscale, ASME 1993, pages 21-28.	T IN SUB-MICRON SEMICONDUCTOR D	<u>EVICES</u> , 1993, HTD-Vol. 253,
	ED .	Charlotte Gillot et al., Integrated Micro Heat Sink for Power Mu Applications, Vol. 36. NO. 1. January/February 2000, pages 217		
M	EE	John Gooding, Microchannel heat exchangers - a review, SPIE		
M	EF	Koichiro Kawano et al., Micro Channel Heat Exhanger for Cool ASME Heat Transfer Division - Volume 3, ASME 1998, pages	ling Electrical Equipment, HTD-Vol. 361-3/	PID-Vol. 3, Proceeding of the
M	EG	Chad Harris et al., Design and Fabrication of a Cross Flow Mice Systems, Vol. 9, No. 4, pages 302-308.	ro Heat Exchanger, December 2000, Journa	l of Microelectromechanical
Examiner:			Date Considered:	
EXAMINER:	<u>I</u> nj	tial citation considered. Draw line through citation if not in confo	ermance and not considered. Include copy o	f this form

with next communication to applicant.

Well Where 6-27-05

FORM PTO-1	440	U.S. Denartment of Commerce	Attomey Docket No.: COOL-01800	Sheet 5 of 7 Serial No.: 10/698,304	
(Modified)		U.S. Department of Commerce Patent and Trademark Office ON DISCLOSURE STATEMENT BY APPLICANT	Applicants: Kenneth Goodson et al.		
		(Use Several Sheets If Necessary)	Filing Date: October 30, 2003	Group Art Unit: 1312	
(37 CFR § 1.9	8(0))	OTHER DOCUMENTS (Including Author, Title, D		GIGG	
M	ЕH	George M. Harpole et al., MICRO-CHANNEL HEAT EXCHAN		E SEMI-THERM Symposium,	
TM	EI	pages59-63. Pei-Xue Jiang et al., Thermal-hydraulic performance of small se of Heat and Mass Transfer 44 (2001), pages 1039-1051.	ale micro-channel and prous-media heat-ex-	changers, 2001, International Journal	
M	EJ	X.N. Jiang et al., Laminar Flow Through Microchannels Used for Technology Conference, pages 119-122, Singapore.			
1	EK	David Bazeley Tuckerman, Heat-Transfer Microstructures for In	ntegrated Circuits, February 1984, pages ii-x	ix, pages 1-141.	
	EL	M Esashi, Silicon micromachining for integrated microsystems,	1996, Vacuum/volume 47/numbers 6-8/pag	ges 469-474.	
	EM	T.S. Raviguruajan et al., Effects of Heat Flux on Two-Phase Flo HTD-Vol. 329, National Heat Transfer Conference, Volume 7, 2	ow characteristics of Refrigerant Flows in a NASME 1996, pages 167-178.	Micro-Channel Heat Exchanger,	
	EN	T.S. Ravigruruajan et al., Single-Phase Flow Thermal Performar Vol. 329, National Heat Transfer Conference, Volume 7, ASME	nce Characteristics of a Parallel Micro-Chan : 1996, pages 157-166	inel Heat Exchanger, 1996, HTD-	
	EO	T.S. Ravigururajan et al., Liquid Flow Characteristics in a Diam Systems (IMEMS), ASME 1996, pages 159-166		1	
	EP	T.S. Raviguruajan, Impact of Channel Geometry on Two-Phase Exchangers, May 1998, Journal of Heat Transfer, Vol. 120, page	Flow Heat Transfer Characteristics of Refries 485-491	gerants in Microchannel Heat	
	EQ	J. Pfahler et al., Liquid Transport in Micron and Submicron Cha	annels, March 1990, Sensors and Actuators,	A21-A23 (1990), pages 431-434.	
	ER	Kenneth Pettigrew et al., Performance of a MEMS based Micro IEEE International Conference on Micro Electro Mechanical Sy	Capillary Pumped Loop for Chip-Level Terstems, pages 427-430.	mperature Control, 2001, The 14th	
	ES	C. Perret et al., Microchannel integrated heat sinks in silicon tec Conference, pages 1051-1055.			
	ET	X.F. Peng et al., Convective heat transfer and flow friction for w No. 12, pages 2599-2608, printed in Great Britain.			
	EU	X.F. Peng et al., Experimental investigation of heat transfer in fl 38, No. 1, pages 127-137, printed in Great Britain.			
	EV	X.F. Peng et al., Cooling Characteristics with Microchanneled Sin the United States of America.			
	EW	Yoichi Murakami et al., Parametric Optimization of Multichana Components and Packaging Technologies, Vol. 24, No. 1, pages	anneled Heat Sinks for VLSI Chip Cooling, s 2-9.	March 2002, IEEE Transaction on	
	EX	D. Mundinger et al., High average power 2-D laser diode arrays	or silicon microchannel coolers, CLEO '89	/Friday Moming/404.	
	EY	L.J. Missaggia et al., Microchannel Heat Sinks for Two-Dimens Electronics, Vol. 25, No. 9, September 1989, pages 1989-1992.	sional High-Power-Density Diode Laser Arra	ays, 1989, IEEE Journal of Quantum	
	EZ	M.J. Marongiu et al., Enhancement of Multichip Modules (MCl Conductivity Materials into Microchannel Heat Sinks, 1998, El	Ms) Cooling by Incorporating MicroHeatPip ectronic Components and Technology Conf	oes and Other High Thermal erence, pages 45-50	
	FA	C.R. Friedrich et al., Micro heat exchangers fabricated by diame	ond machining, January 1994, Precision En	gineering, Vol. 16, No. 1, pages56-59	
	FB	Mali Mahalingam, <u>Thermal Management in Semiconductor De</u> pages 1396-1404.	vice Packaging, 1985, Proceedings of the IE	EE, Vol. 73, No. 9, September 1985,	
	FC	T.M. Adams et al., An experimental investigation of single-phase Nos. 6-7, pages 851-857, Printed in Great Britain.	se forced convection in microchannels, 199	7, Int. J. Heat Mass Transfer, Vol. 41,	
	FD	T.M. Adams et al., Applicability of traditional turbulent single- Heat and Transfer 42 (1999) pages 4411-4415.	phase forced convection correlations to non-	circular micrhchannels, 1999, Int. J.	
	FE	Bassam Badran et al., Experimental Results for Low-Temperatu as Working Fluids, May 31, 1997, Experimental Heat Transter,	ore Silicon Micromachined Micro Heat Pipe 10: pages 253-272.	Arrays Using Water and Methanol	
	FF	D. Jed Harrison et al., Electroosmotic Pumping Within A Chem Systems for Liquids, June 26, 1991, pages 792-795.	nical Sensor System Integrated on Silicon, Se	ession C9 Chemical Sensors and	
M	FG	Kurt Seller et al., Electroosmotic Pumping and Valveless Contro Analytical Chemistry, Vol. 66, No. 20, October 15, 1994, pages	ol of Fluid Flow within a Manifold of Capill 3 3485-3491.	laries on a Glass Chip, 1994,	
M	FH	Philip H. Paul et al., Electrokinetic Generation of High Pressure 52.	es Using Porous Microstructures, 1998, Mic	ro-Total Analysis Systems, pages 49-	
M	FI	Gh. Mohiuddin Mala et al., Flow characteristics of water through Int. J. Heat and Fluid Flow, Vol. 18, No. 5, pages489-496	th a microchannel between two parallel plate	es with electrokinetic effects, 1997,	
Examiner:	AU	W Mexican	Date Considered: 6-27-05		
EXAMINER:	Ini wi	itial citation considered. Draw line through citation if not in confo	ormance and not considered. Include copy of	of this form	

		<u> </u>	,	Sheet 6 of 7			
FORM PTO-1 (Modified)	449	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket No.: COOL-01800	Serial No.: 10/698,304			
INFO	ORMATIC	ON DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)	Applicants: Kenneth Goodson et al.				
(37 CFR § 1.9			Filing Date: October 30, 2003	Group Art Unit: 1312			
		OTHER DOCUMENTS (Including Author, Title, D		 			
111	FJ	W.E. Morf et al., Partial electroosmotic pumping in complex ca 2000, Sensors and Actuators B 72 (2001), pages 266-272.	pillary systems Part 1: Principles and genera	I theoretical approach, October 16,			
m	FK	M. Esashi, Silicon micromachining and micromachines, Septem					
M	FL	Stephanus Buttgenbach et al., Microflow devices for miniaturize Microsensors and Applications, Vol. 3539, pages 51-61.	ed chemical analysis systems, November 4-3	5, 1998, SPIE-Chemical			
	FM	Sarah Arunlanandam et al., Liquid transport in rectangular micr Physicochemical and Engineering Aspects Vol. 161 (2000), pag	ochannels by electroosmotic pumping, 2000 ges 89-102.	, Colloids and Surfaces A:			
	FN	Linan Jiang et al., Closed-Loop Electroosmotic Microchannel C University, pages 1-27.	cooling System for VLSI Circuits, Mechanica	al Engineering Dept. Stanford			
	FO	Susan L. R. Barker et al., Fabrication, Derivatization and Applic November 5-8, 2000, pages 112-118.	cations of Plastic Microfluidic Devices, Proc	eedings of SPIE, Vol. 4205.			
	FP	Timothy E. McKnight et al., Electroosmotically Induced Hydrat Chem., Vol. 73, pages 4045-4049.	lic Pumping with Integrated Electrodes on I	Microfluidic Devices, 2001, Anal.			
	FQ	Chris Bourne, Cool Chips plc RECEIVES NANOTECH MANU	JFACTURING PATENT, July 31, 2002, pag	ges 1-2.			
	FR	Frank Wagner et al., Electroosmotic Flow Control in Micro Cha SPIE Vol. 4088, June 14-16, 2000, pages 337-340.	nnels Produced by Scanning Excimer Laser	Ablation , 2000, Proceedings of			
	FS	H. A. Goodman, Data Processor Cooling With Connection To N Disclosure Bulletin, Vol. 26, No. 7A, page 3325.					
	·FT	Electroerosion Micropump, May 1990, IBM Technical Disclosu					
	FU	Shulin Zeng et al., <u>Fabrication and Characterization of Electrok</u> pages 31-35.	inetic Micro Pumps, 2000 Inter Society Con	ference on Thermal Phenomena,			
	F۷	A. Manz et al., Integrated Electoosmotic Pumps and Flow Manifolds for Total Chemical Analysis System, 1991, Inter. Conf. on Solid-State Sensors and Actuators, pages 939-941.					
	FW	O. T. Guenat et al., Partial electroosmotic pumping in complex system suited for continuous volumetric nanotitrations, October	capillary systems Part: 2 Fabrication and app. 16, 2000, Sensors and Actuators B 72 (200	plication of a micro total analysis 1) pages 273-282.			
	FX	J. G. Sunderland, Electrokinetic dewatering and thickening, I. li Journal of Applied Electrochemistry Vol. 17, No. 5, pages 889.	ntroduction and historical review of electrok 898.	inetic applications, September 1987,			
	FY	J. C. Rife et al., Acousto- and electroosmotic microfluidic contr					
	FZ	Purnendu K Dasgupta et al., <u>Electroosmosis: A Reliable Fluid P</u> 11, pages 1792-1798.	ropulsion System for Flow Injection Analys	is, 1994, Anal. Chem., Vol. 66, No.			
	GA	Ray Beach et al., Modular Microchannel Cooled Heatsinks for Electronics, Vol. 28, No. 4, pages 966-976.	High Average Power Laser Diode Arrays, A	pril 1992, IEEE Journal of Quantum			
	GB	Roy W. Knight et al., Optimal Thermal Design of Air cooled For IEEE Transactions on Components, Hybrids, and Manufacturin	orced Convection finned Heat Sinks - Experi g Technology, Vol. 15, No. 5 pages 754-760	mental Verification, October 1992, J.			
	GC	Y. Zhuang et al., Experimental study on local heat transfer with Mass Transfer, Vol. 40, No. 17, pages 4055-4059.	liquid impingement flow in two-dimension	al micro-channels, 1997, Int. J. Heat			
	GD	D. Yu et al., An Experimental and Theoretical Investigation of Engineering Conference, Vol. 1, pages 523-530.	Fluid Flow and Heat Transfer in Microtube,	1995, ASME / JSME Thermal			
	GE	Xiaoqing Yin et al., Micro Heat Exchangers Consisting of Pin	Arrays, 1997, Journal of Electronic Packagin	g March 1997, Vol. 119, pages51-57.			
	GF	X. Yin et al., Uniform Channel Micro Heat Exchangers, 1997,	Journal of Electronic Packaging June 1997,	Vol. 119, No. 2, pages 89-94.			
N _a ,	GG	Chun Yang et al., Modeling forced liquid convection in rectang and Mass Transfer 41 (1998), pages 4229-4249.	ular microchannels with electrokinetic effec	t, 1998, International Journal of Heat			
V	GH	Arel Weisberg et al., Analysis of microchannels for integrated c					
M	GI	Roger S. Stanley et al., Two-Phase Flow in Microchannels, 199	7, DSE-Vol. 62/HTD-Vol. 354, MEMS, pag	ges 143-152.			
M	G1	B. X. Wang et al., Experimental investigation on liquid forced- Vol. 37 Suppl. 1, pages 73-82.					
M	SK	Kambiz Vafai et al., Analysis of two-layered micro-channel hea	at sink concept in electronic cooling, 1999, I	nt. J. Heat Mass Transfer, 42 (1999),			
Examiner	Mores	V Mayura	Date Considered: 6-27-65)			
EXAMINER:	lni wi	itial citation considered. Draw line through citation if not in conforth next communication to applicant.	ormance and not considered. Include copy of	f this form			

heet 7 of 7

				Sheet 7 of 7
FORM PTO-1 (Modified)	449	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket No.: COOL-01800	Serial No.: 10/698,304
INFO	ORMATIC	ON DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)	Applicants: Kenneth Goodson et al.	
(37 CFR § 1.9			Filing Date: October 30, 2003	Group Art Unit: 1312
	·	OTHER DOCUMENTS (Including Author, Title, D	Date, Relevant Pages, Place of Publication)	
gm	GL	Gokturk Tune et al., Heat transfer in rectangular microchannels,	, 2002, Int. J. Heat Mass Transfer, 45 (2002)	, pages 765-773.
M	GM	D. B. Tuckerman et al., High-Performance Heat Sinking for VL	SI, 1981, IEEE Electron Device Letters, Vol	. EDL-2, No. 5, pages 126-129.
	GN	Bengt Sunden et al., An Overview of Fabrication Methods and	Fluid Flow and Heat Transfer Characteristics	of Micro Channels, pages 3-23.
	GO	David S. Shen et al., Micro Heat Spreader Enhance Heat Transf	fer in MCMs, 1995, IEEE Multi-Chip Modu	e Conference, pages 189-194.
	GP	S. Sasaki et al., Optimal Structure for Microgrooved Cooling Fi No. 25.	n for High-Power LSI Devices, Electronic L	etters, December 4, 1986, Vol 22,
	GQ	Vijay K. Samalam, Convective Heat Transfer in Microchannels 617.	, September 1989, Journal of Electronic Mai	erials, Vol. 18, No. 5, pages 611-
 	GR	Sanjay K. Roy et al., A Very High Heat Flux Microchannel Hea Transactions on components, packaging, and manufacturing lec		
	GS	Charlotte Gillot et al., Integrated Single and Two-Phase Micro F Packaging Technology, Vol. 22 No. 3, September 1999, pages 3	Heat Sinks Under IGBT Chips, IEEE Transa 384-389.	ctions on Components and
	GT	X.F. Peng et al., "Enhancing the Critical Heat Flux Using Micro	ochanneled Surfaces", Enhanced Heat Trans	fer, 1998, Vol. 5 pp. 165-176.
L V	GU	H. Krumm "Chip Cooling", IBM Technical Disclosure Bulletin	, Vol. 20, No. 7, December 1977, pg. 2728.	
M	GV	Jae-Mo Koo et al., "Modeling of Two-Phase Microchannel Hea 426.	t Sinks for VLSI Chips", Mech. Eng. Depart	. of Stanford University, pp. 422-
	GW			·
	GX			·
	GY			
	GZ			
	НА			
	нв			
	нс			
	HD			<u> </u>
	HE			·
	HF			
	HG			λ
	нн			
	Н			
£;	нл			
	нк			
	HL			
	нм			
	HN			
	но			
	НР			
<u></u>	HQ			•
	HR			
	HS			<u> </u>
	L HA	11/11/	1 10	
Examiner	1 au	IX H. Gener	Date Considered:	
EXAMINER!	Ini wi	itial citation considered. Draw line through citation if not in confe th next communication to applicant.	ormance and not considered. Include copy o	f this form

:

FORM PTO-1449 (Modified)

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: COOL-01800

Serial No.: 10/698,304

INFORMATION DISCLOSURE TATEMENT BY APPLICANT (1) Use Several She's if Necessary)

Applicants: Kenneth Goodson et al.

 		<u> </u>		S. PATENT DOCUMENTS		 	
xaminer Initials		Serial / Patent Number	Issue Date	Applicant / Patentee	Class	Subclass	Filing D
<u> </u>	_AA	6,632,719 B1	10/14/03	DeBoer et al.	438	381	08/31/0
	AB						
	AC						
	AD			· · · · · · · · · · · · · · · · · · ·			·
	AE						
	AF						
	AG						
	АН			· · · · · · · · · · · · · · · · · · ·			
	Al						
	_AJ				_		
	AK			,			
	AL						
•	AM	·					
····	AN						
	AO						
	AP						
	AQ						
	AR					<u> </u>	
	AS					<u> </u>	
	AT			· — ·=· · · · · · · · · · · · · · · · · ·			
	AU						
	AV						
	AW						
	AX		·				
	AY						
	AZ						
	ВА						
	ВВ					,	
	вс						
	BD						
	BE						
	BF						
	BG						
	ВН	11.11/1			2	_	

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office Attorney Docket No.: COOL-01800 Serial No.: 10/698,304 INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Speets If Necessary) Applicants: Kenneth Goodson et al. Group Art Unit: 3743 Filing Date: October 30, 2003 (37 CFR § 1.98(b)) U.S. PATENT DOCUMENTS Serial / Patent Number Examiner Initials Issue Date Applicant / Patentee Class Subclass Filing Date 04/02/91 5,179,500 01/12/93 361 385 AA Koubek et al. ΑB AC ΑD ΑE ΑF AG ΑH ΑI ΑJ ΑK ΑL AM AN ΑO ΑP AQ AR ΑS ΑT ΑU A٧ ΑW AXΑY ΆZ BA вв BC

Examiner -**EXAMINER:** BD BE BF BG

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Date Considered:

Electronic Version v18

Stylesheet Version v18.0

Title of Invention

METHOD AND APPARATUS FOR ACHIEVING
TEMPERATURE UNIFORMITY AND HOT SPOT COOLING IN A
HEAT PRODUCING DEVICE

Application Number:

10/698304

Confirmation Number:

1389

First Named Applicant:

Kenneth Goodson

Attorney Docket Number:

Art Unit: Examiner:

Search string:

(5316077 or 6167948 or 6606251 or 20030062149).pn

<u>Certification:</u> This Information Disclosure Statement was submitted under the following conditions, which satisfies the requirement under 37 CFR 1.97(e). The filer certified:

That each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement.

US Patent Documents

Note: Applicant is not required to submit a paper copy of cited US Patent Documents

init	Cite.No.	Patent No.	Date	Patentee	Kind	Class	Subclass
m	1	5316077	1994-05-31	Reichard		a/	
TM	2	6167948	2001-01-02	Thomas	B1		
AM	3	6606251	2003-08-12	Kenny, Jr. et al.	B1		

US Published Applications

Note: Applicant is not required to submit a paper copy of cited US Published Applications

init	Cite.No.	Pub. No.	Date	Applicant	Kind	Class	Subclass
199	1	20030062149	2003-04-03	Goodson et al.	A1		

Signature

Examiner Name	Date
May My Guum	6-87-05



Electronic Version v18 Stylesheet Version v18.0

> Title of Invention

METHOD AND APPARATUS FOR ACHIEVING TEMPERATURE UNIFORMITY AND HOT SPOT COOLING IN A HEAT PRODUCING DEVICE

Application Number:

10/698304

Confirmation Number:

1389

First Named Applicant: Kenneth Goodson

Attorney Docket Number:

Search string:

(3948316 or 5161089 or 5228502 or 5239443

or 5265670 or 5978220 or 5993750 or

6729383).pn.

Certification: This Information Disclosure Statement was submitted under the following conditions, which satisfies the requirement under 37 CFR 1.97(e). The filer certified:

That no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in 37 CFR 1.56(c) more than three months prior to the filing of the information disclosure statement.

US Patent Documents

Note: Applicant is not required to submit a paper copy of cited US Patent Documents

init	Cite.No.	Patent No.	Date	Patentee	Kind	Class	Subclass
1M	1	3948316	1976-04-06	Souriau			
17/1	2	5161089	1992-11-03	Chu et al.			
11	3	5228502	1993-07-20	Chu et al.			
M	4	5239443	1993-08-24	Fahey et al.		_	
14	5	5265670	1993-11-30	Zingher			
m	6	5978220	1999-11-02	Frey et al.			
1m	7	5993750	1999-11-30	Ghosh et al.		/-	
111	8	6729383	2004-05-04	Cannell et al.	B1		



Electronic Filing System (EFS) Data Electronic Patent Application Submission USPTO Use Only

EFS ID:

64829

Application ID:

10698304

METHOD AND APPARATUS FOR ACHIEVING TEMPERATURE

Title of Invention:

UNIFORMITY AND HOT SPOT

COOLING IN A HEAT PRODUCING

DEVICE

First Named Inventor:

Kenneth Goodson

Domestic/Foreign Application:

Domestic Application

Filing Date:

2003-10-30

Effective Receipt Date:

2004-07-19

Submission Type:

Information Disclosure

Statement

Filing Type:

Confirmation number:

1389

Attorney Docket Number:

NONE

Total Fees Authorized:

Digital Certificate Holder: cn=Thomas B. Haverstock,ou=Registered Attorneys,ou=Patent and

Trademark Office,ou=Department of Commerce,o=U.S. Government,c=US Certificate Message Digest: dad5c78bff81f927ccda9e74f5a38b5d94284d53

There is no this page 2 to this



TRANSMITTAL

Electronic Version v1.1
Stylesheet Version v1.1.0

Title of Invention

METHOD AND APPARATUS FOR ACHIEVING TEMPERATURE UNIFORMITY AND HOT SPOT COOLING IN A HEAT PRODUCING DEVICE

Application Number:

10/698304

Date:

2003-10-30

First Named Applicant:

Kenneth Goodson

Confirmation Number:

1389

Attorney Docket Number:

I hereby certify that the use of this system is for OFFICIAL correspondence between patent applicants or their representatives and the USPTO. Fraudulent or other use besides the filing of official correspondence by authorized parties is strictly prohibited, and subject to a fine and/or imprisonment under applicable law.

I, the undersigned, certify that I have viewed a display of document(s) being electronically submitted to the United States Patent and Trademark Office, using either the USPTO provided style sheet or software, and that this is the document(s) I intend for initiation or further prosecution of a patent application noted in the submission. This document(s) will become part of the official electronic record at the USPTO.

Submitted by:	Elec. Sign.	Sign. Capacity
Thomas B. Haverstock Registered Number: 32571	/tbh/	Attorney

Documents being submitted

Files

us-ids

COOL01800-usidst.xml

us-ids.dtd

us-ids.xsl

Comments



Electronic Version v18
Stylesheet Version v18.0

Title of Invention

METHOD AND APPARATUS FOR ACHIEVING
TEMPERATURE UNIFORMITY AND HOT SPOT COOLING
IN A HEAT PRODUCING DEVICE

Application Number:

10/698304

Confirmation Number:

1389

First Named Applicant:

Kenneth Goodson

Attorney Docket Number:

Search string:

(3948316 or 5161089 or 5228502 or 5239443

or 5265670 or 5978220 or 5993750 or

6729383).pn.

<u>Certification:</u> This Information Disclosure Statement was submitted under the following conditions, which satisfies the requirement under 37 CFR 1.97(e). The filer certified:

That no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in 37 CFR 1.56(c) more than three months prior to the filing of the information disclosure statement.

US Patent Documents

Note: Applicant is not required to submit a paper copy of cited US Patent Documents

init	Cite.No.	Patent No.	Date	Patentee	Kind	Class	Subclass
	1	3948316	1976-04-06	Souriau			
	2	5161089	1992-11-03	Chu et al.			
	3	5228502	1993-07-20	Chu et al.			
	4	5239443	1993-08-24	Fahey et al.			,
	5	5265670	1993-11-30	Zingher			
	6	5978220	1999-11-02	Frey et al.			
	7	5993750	1999-11-30	Ghosh et al.			
	. 8	6729383	2004-05-04	Cannell et al.	B1		

Signature	
Examiner Name	Date